

EXHIBIT S30 TO DECLARATION OF
STEPHEN G. SCHWARZ IN SUPPORT OF
PLAINTIFFS' MOTION FOR CLASS
CERTIFICATION

PERSONAL & CONFIDENTIAL

C-8 BLOOD SAMPLING RESULTS

• Births and Pregnancies

<u>PPM C-8 in Blood</u>	<u>Status</u>
0.45	Normal child - born June 1980. Transferred out of Fluorocarbons 4/79.
0.28	Normal child - born April 1981.
0.078	Normal child - born April 1981. Umbilical cord blood 0.055 ppm.
1.5	Five months pregnant.
0.013	Five months pregnant.
2.5*	Child - 2 plus years. Unconfirmed eye and tear duct defect.
0.048	Child - 4 months. One nostril and eye defect.

*Current blood level - in fluorocarbons area only one month before pregnancy.

RDI:ldr

EID090083

AJP002926

● C-8 Level - Current Washington Works Female Employees

Number of Samples 56

Range .0.013 - 5.1

Average 0.92 ppm C-8

Number Above	0.05	ppm	C-8	53
"	"	0.10	" "	46
"	"	0.20	" "	35
"	"	0.30	" "	29
"	"	0.40	" "	28

RDI:ldr

EID090084

AFP002927

000167

5/14/81

• C-8 Level Locations Other than Washington Works

<u>Location</u>	<u>No. of Samples</u>	<u>PPM C-8 Range</u>	<u>PPM C-8 Average</u>
Wilmington	32	ND	ND
Haskell	9	ND - 0.030	0.007
Chestnut Run	15	ND - 0.043	0.006
Spruance	27	ND - 0.070	0.027
Fairfield	5	ND - 0.048	0.014
Toledo	7	ND - 0.014	0.003
Circleville	10	ND - 0.030	0.014

RDI:ldr

EID090085

AJP002928

000168

SENSITIVE INFORMATION REMOVED FROM PUBLIC COPY
BY SCOTT M. SMITHSON, ATTORNEY ADVISOR. CPPT 02
MARCH 9, 2004.

*type only
number
& name
islands*

~~PERSONAL & CONFIDENTIAL~~

C-8 BLOOD SAMPLING RESULTS

Births and Pregnancies

<u>Current</u> (12) PPM C-8 in Blood (April 1981)	<u>Status</u>
0.45	Normal child - born June 1980. Transferred out of Fluorocarbons 4/79.
0.28	Normal child - born April 1981..
0.078	Normal child - born April 1981. Umbilical cord blood 0.055 ppm.
1.5	Five months pregnant. <i>On pregnancy leave</i>
0.013	Five months pregnant. <i>Normal child - born August 1981</i>
2.5*	Child - 2 plus years. Unconfirmed eye and tear duct defect.
0.048	Child - 4 months. One nostril and eye defect. <i>Babies blood 0.012 ppm</i>
2.1007	<i>Normal child - born July 1981</i>

urrent blood level - in fluorocarbons area only one month
efore pregnancy.

U:ldr

Mnts type only
employee number
not name
admits

PERSONAL & CONFIDENTIAL
C-8 BLOOD SAMPLING RESULTS

Births and Pregnancies

<u>Current</u> PPM C-8 in Blood <i>(April 1981)</i>	<u>Status</u>
0.45	Normal child - born June 1980. Transferred out of Fluorocarbons 4/79.
0.28	Normal child - born April 1981.
0.078	Normal child - born April 1981. Umbilical cord blood 0.055 ppm.
1.5	Five months pregnant. <i>On pregnancy leave</i>
0.013	Five months pregnant. <i>Normal child - born August 1</i>
2.5*	Child - 2 plus years. Unconfirmed eye and tear duct defect.
0.048	Child - 4 months. One nostril and eye defect. <i>Babies blood 0.012 ppm</i>
2.007	<i>Normal child - born July 1981</i>

*Current blood level - in fluorocarbons area only one month before pregnancy.