# EXHIBIT S116 TO DECLARATION OF STEPHEN G. SCHWARZ IN SUPPORT OF PLAINTIFFS' MOTION FOR CLASS CERTIFICATION

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET



DIVISION: INDUSTRIAL CHEMICAL PRODUCTS DIVISION

TRADE NAME:

FC-143 FLUORAD Brand Fluorochemical Surfactant 3M I.D. NUMBER: ZF-0002-0378-4 98-0211-0008-0 98-0211-1522-9 98-0211-5489-7 98-0211-0367-0 98-0211-0891-9

ISSUED: AUGUST 12, 1991 SUPERSEDES: DECEMBER 18, 1990

DOCUMENT: 10-3808-2

1. INGREDIENT	C.A.S. NO.	PERCENT	VALUE UNIT	LIMITS  TYPE AUTH
Ammonium Perfluoroalkyl Carboxylate	3825-26-1	93.0 - 97.0	0.1 mg/m3	TWA ACGIH
Ammonium Perfluoroalkyl Carboxylate	6130-43-4	1.0 - 4.0	0.1 mg/m3	TWA 3M
Ammonium Perfluoroalkyl Carboxylate	21615-47-4	1.0 - 4.0	0.1 mg/m3	TWA 3M
Ammonium Perfluoroalkyl Carboxylate	68259-11-0	< 2.0	0.1 mg/m3	TWA 3M

#### SOURCE OF EXPOSURE LIMIT DATA:

ACGIH: American Conference of Governmental Industrial Hygienists

3M: 3M Medical Department Guideline

## 2. PHYSICAL DATA

BOILING POINT: N/A VAPOR PRESSURE:.... N/A N/A N/A SOLUBILITY IN WATER: ..... > 10 % SP. GRAVITY:.... 0.400-0.500 (Bulk) N/D pH: (0.5% Aqueous)
VISCOSITY: ..... ca. 5.00 N/D APPEARANCE AND ODOR: Light colored powder; slight odor.

3. FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: None FLAMMABLE LIMITS - LEL: ....
FLAMMABLE LIMITS - UEL: ....
AUTOIGNITION TEMPERATURE: ...
EXTINGUISHING MEDIA: N/A N/A N/D Water, Foam, CO2, Dry Chemical SPECIAL FIRE FIGHTING PROCEDURES:

Full protective clothing including self-contained breathing apparatus, coat, pants, gloves, boots, and bands around legs, arms and waist should be provided. No skin surface should be exposed. UNUSUAL FIRE AND EXPLOSION HAZARDS:

Heat of fire may release ammonia and HF.
NFPA-HAZARD-CODES: HEALTH 3 FIRE 0 REACTIVITY 0

UNUSUAL REACTION HAZARD: N

Abbreviations: N/D - Not Determined N/A - Not Applicable

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET



MSDS: FC-143 FLUORAD Brand Fluorochemical Surfactant AUGUST 12, 1991

PAGE: 2 of 4

# 4. REACTIVITY DATA

STABILITY: Stable
INCOMPATIBILITY - MATERIALS TO AVOID:
Not Applicable
HAZARDOUS POLYMERIZATION: Will Not Occur
HAZARDOUS DECOMPOSITION PRODUCTS:
Thermal decomposition may produce toxic materials including HF.

# 5. ENVIRONMENTAL INFORMATION

#### SPILL RESPONSE:

Observe precautions from other sections. Use toxic dust mask. Use wet sweeping compound, or water to avoid dusting. Collect spilled material. Place in a closed container.

#### RECOMMENDED DISPOSAL:

Mix with flammable material and incinerate in an industrial or commercial incinerator. Combustion products will include HF. Discharge spent solutions to a wastewater treatment system. Reduce discharge rate if foaming occurs. Since regulations vary, consult applicable regulations or authorities before disposal. U.S. EPA Hazardous Waste No.: None

## **ENVIRONMENTAL DATA:**

Chemical Oxygen Demand (COD): Nil (700 mg/Kg); 20-Day Biochemical Oxygen Demand (BOD20): Nil; 96-Hr. LC50, Bluegill Sunfish (Lepomis macrochirus): 569 mg/L; 96-Hr. LC50, Fathead Minnow(Pimephales promelas): 766 mg/L; 48-Hr EC50, Daphnia magna: 632 mg/L; 14-Day EC50 (cell dry weight), Green Algae (Selenastrum capricornutum) 73 mg/L.

## SARA HAZARD CLASS:

FIRE HAZARD: No PRESSURE: No REACTIVITY: No ACUTE: Yes CHRONIC: Yes

## 6. SUGGESTED FIRST AID

## EYE CONTACT:

Immediately flush with plenty of water. Continue for 10 minutes. Call a physician.

#### SKIN CONTACT:

Wash affected area with soap and water.

#### INHALATION:

If symptoms occur, remove person to fresh air. If symptoms continue, call a physician.

## IF SWALLOWED:

DO NOT INDUCE VOMITING. Give copious amounts of water. IMMEDIATELY call a physician or Poison Control Center.

## OTHER FIRST AID:

NONE

Abbreviations: N/D - Not Determined N/A - Not Applicable

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET

<u>3M</u>

MSDS: FC-143 FLUORAD Brand Fluorochemical Surfactant AUGUST 12, 1991

PAGE: 3 of 4

## 7. PRECAUTIONARY INFORMATION

EYE PROTECTION: Safety Goggles
SKIN PROTECTION: Rubber gloves, protective clothing.
VENTILATION: Local exhaust ventilation should be used to control airborne dust.
RESPIRATORY PROTECTION: Toxic dust or supplied air respirator if dust is not well controlled.

## ADDITIONAL EXPOSURE LIMITS

INGREDIENTS VALUE UNIT TYPE AUTH

Ammonium Perfluoroalkyl 0.1 mg/m3 TWA 3M

Carboxylate

SOURCE OF EXPOSURE LIMIT DATA:
- 3M: 3M Medical Department Guideline

## 8. HEALTH HAZARD DATA

EYE CONTACT: FC-143 can be irritating to the eyes upon direct contact. Animal studies indicate FC-143 is moderately irritating to the eyes. Airborne FC-143 may cause eye injury consisting of corneal opacity.

SKIN CONTACT: FC-143 may be absorbed through the skin. Slightly toxic when absorbed through the skin. FC-143 is non-irritating to the skin.

INHALATION: FC-143 may cause respiratory system irritation from inhalation of dust. FC-143 can be considered moderately toxic by inhalation on a single exposure; a median lethal concentration for a 4-hour exposure in the albino rat is 980 milligrams per cubic meter. Repeated inhalation exposure produced liver changes and elevated blood organofluoride levels in rats.

INGESTION: FC-143 is considered moderately toxic from a single oral exposure. The acute oral LD50 (rat) is 540 milligrams per kilogram of body weight. FC-143 is not teratogenic (rats or rabbits). See precautions for results of 2 year study.

Abbreviations: N/D - Not Determined N/A - Not Applicable

3M Center St. Paul, Minnesota 55144-1000 612/733-1110 Duns No.: 00-617-3082

MATERIAL SAFETY DATA SHEET

<u>3M</u>

MSDS: FC-143 FLUORAD Brand Fluorochemical Surfactant AUGUST 12, 1991

PAGE: 4 of 4

Abbreviations: N/D - Not Determined N/A - Not Applicable

The information on this Data Sheet represents our current data and best opinion as to the proper use in handling of this material under normal conditions. Any use of the material which is not in conformance with this Data Sheet or which involves using the material in combination with any other material or any other process is the responsibility of the user.