

EXHIBIT S29 TO DECLARATION OF  
STEPHEN G. SCHWARZ IN SUPPORT OF  
PLAINTIFFS' MOTION FOR CLASS  
CERTIFICATION

EMPLOYEE COMMUNICATION

We have been informed by the 3M Company about the preliminary results of a new animal study involving the fluorosurfactant, C-8, which is an essential material that has been used in excess of twenty years in fluoropolymer resins manufacture at Washington Works. 3M is our principal supplier for this chemical.

We were advised on March 20, 1981, that C-8, also known as FC-143 or ammonium perfluorooctanoate, caused birth defects in the unborn when fed by stomach tube to female rats in a laboratory experiment. This was a preliminary study designed to determine dosage limits prior to a full-scale study on C-8's potential to cause birth defects in rats.

At this time, we do not know the significance, if any, of the preliminary animal experiment as it may relate to employee exposure. Further studies are planned to define possible reproductive effects.

As a precaution based on the new study we have decided, that until further information is obtained, all female employees will be removed from areas where there is potential for exposure to C-8 and loaned immediately to other divisions. These female employees will consult with our Plant Medical Division, and those of non-childbearing capability will be given the option to return to the Fluoropolymers area. Women of childbearing capability will be allowed to bid for other plant jobs after a permanent plant posting has been made. Present pay rates will be maintained and vacation selections previously made will be honored for those females reassigned.

During the period that C-8 has been used at Washington Works, there has been no known evidence that our employees have been exposed to C-8 levels that pose adverse health effects. A preliminary acceptable exposure limit of 0.01 mg/m<sup>3</sup> (0.56 parts per billion) was established which we believe has adequately protected our employees. At exposure levels experienced by our employees, there is no evidence to suggest there is any impairment of the male reproductive function.

3M first notified us in 1978 that exposure to C-8 could result in elevated organic fluoride levels in the blood of its employees and that these elevated levels could persist for extended periods of time. At that time, we notified employees, embarked on an extensive program to reduce exposure levels, and began blood monitoring analyses. Employees have been kept advised on new developments and of blood test results.

We ask your cooperation with job reassignments and participation in a program for additional blood sampling.

We will inform you promptly as new information is obtained.

RJB/djp

EID079428

000033

AJP002598

QUESTIONS AND ANSWERS

- To Be Used As Needed To Answer Questions -

If there are any questions not answered below, they should be referred to Plant Management.

1. Q: How many female employees at your Parkersburg plant may have been exposed to C-8?

A: About sixty worked in areas where there is potential for exposure.

2. Q: Have you sampled the blood of these employees to determine if they have elevated organic fluoride levels?

A: Some but not all female employees have been sampled as part of our existing programs.

3. Q: Do they have levels of C-8 above normal?

A: Yes, some do.

4. Q: Are any of the sixty female employees pregnant?

A: Yes, two that we know of.

5. Q: Are there any former employees you know of who may have been exposed to C-8 and who are now pregnant?

A: Yes, one that we know of.

6. Q: What have you advised these pregnant women to do?

A: We have advised these employees to consult the plant physician for an explanation of the potential risks and will have them consult also with their personal physician. The exact significance of the animal test results to the human offspring is yet unknown. However, we believe it prudent to eliminate any further exposure that results in blood levels greater than background until additional data are obtained.

7. Q: Have you attempted to locate former female employees to advise them of the 3M Company's animal study which indicated that C-8 may be teratogenic?

A: We are in the process of reviewing our employment records and where appropriate, former employees will be notified.

8. Q: Do you have any knowledge of Du Pont employees or former employees who have been exposed to C-8 whose children suffered birth defects?

A: No. There is no evidence of birth defects among children born of mothers who have been exposed to C-8 compounds at Du Pont.

EID079429

000034

AJP002599

9. Q: Do you have any knowledge of 3M Company employees or former employees who have been exposed to C-8 whose children suffered birth defects?

A: No. We are not knowledgeable of the pregnancy outcome of any 3M employees or former employees who were exposed to C-8.

10. Q: What is the possibility that employees or former employees of childbearing age with elevated organic fluoride levels may give birth to children with defects.

A: We do not know, but we are taking appropriate steps to avoid further exposure.

11. Q: Is there any indication that male employees or former male employees exposed to C-8 may have suffered loss of reproductive function?

A: We have no indication that C-8 has an effect on the male reproductive system or its function. The reproductive organs of the male laboratory animals exposed to C-8 were closely examined and were normal, with no evidence of abnormalities attributable to C-8 exposure.

12. Q: Are there any tests that can assure the fetus is all right?

A: There are no tests which can assure that the fetus is all right. There are tests which can detect fetal abnormalities in some cases. If these tests are done and are normal, there is a good likelihood that the fetus is all right.

13. Q: What advice do we have for women of childbearing capability who have been exposed, about becoming pregnant?

A: This is a personal subject between the woman and her physician.

14. Q: Will elevated organic fluoride levels in the blood decrease in time?

A: Yes.

15. Q: How long does it take for these levels to fall to background levels?

A: It is not known at this time. Blood samplings is continuing.

ALP002600

EID079430

000035

15. Q: Can employees and former employees with elevated organic fluoride levels donate blood safely?

A: Blood donating is a deferrable option. Persons who have elevated blood levels of C-8 or who have worked in areas of potential exposure to C-8 and the blood level has not been determined should not donate blood until the blood level of C-8 returns to background levels.

17. Q: What is the background level?

A: In our experience in blood tests conducted among employees with little chance for potential exposure, organic fluoride blood levels ranged up to 0.4 ppm

18. Q: Have you resampled employees' blood recently?

A: Yes, and we are taking additional samples in an ongoing program.

19. Q: Were the levels lower in the recent blood samples?

A: So far there is no obvious trend with the data available.

20. Q: Is there danger to the families of employees who work in the area?

A: By following the established practices and procedures, use of personal protective equipment and following good personal hygiene practices, there should be no hazard to the employee's family.

21. Q: What operating procedures were instituted by Du Pont after the first 3M report in 1978?

A: Extensive engineering programs were developed which included equipment modifications and increased use of personal protective equipment. In addition, we instituted blood monitoring and air sampling programs as well as more stringent housekeeping standards.

22. Q: What additional changes in operating procedures do you plan now?

A: This has not been determined. We are reviewing the situation.

23. Q: Are you looking for a substitute for C-8?

A: Yes, we have been for some time.

24. Q: What are the possible substitutes?

A: We have not identified one at present.

EID079431

000036

ALP002601

25. Q: Why did the 3M Company test C-8 for teratogenicity?

A: We understand that C-8 is chemically similar to other compounds made by 3M and that in earlier testing were found to be teratogenic.

26. Q: When did Du Pont learn of the latest study results?

A: March 20, 1981.

27. Q: Has the appropriate Federal regulatory agencies been notified?

A: Yes. 3M, our supplier, has notified EPA of the study and its results.

28. Q: What were the birth defects noted by 3M in the unborn fetus?

A: Eye defects are reported but complete testing will be required.

29. Q: What additional animal testing is planned?

A: Elaborate C-8 teratology evaluations of laboratory results to confirm 3M preliminary results and to identify safe exposure level for females.

30. Q: What is Du Pont's policy on employing women around embryotoxins?

A: Women of childbearing capability are allowed to work in areas of potential exposure to teratogens where a safe exposure level is known and the exposures can be maintained below these levels. Women of childbearing capability are not allowed to work in areas where safe levels are not known or where the potential exposures are above safe levels. Women who are not of childbearing capability can work in areas of potential exposure to teratogens.

31. Q: Has Du Pont ever required or suggested that an employee be sterilized?

A: No.

32. Q: Are there any other chemicals used at your Parkersburg plant that are embryotoxic?

A: Yes, DMF (dimethyl formamide) and HFA (hexafluoroacetone).

EID079432

000037

AJP002602

33. Q: What products are sold by Du Pont using C-8 (ammonium perfluorooctanoate)?

A: Various fluorocarbon resin and dispersion products.

34. Q: Is there any problem involved with cookware which has been coated with fluorocarbon resin?

A: No

35. Q: Will Du Pont be notifying its customers of the most recent findings reported by 3M?

A: Yes.

36. Q: Have women been removed from exposure at all Du Pont locations?

A: No, not at those locations where blood levels are at background.

RJB/djp  
4/1/81

EID079433

000038

AJP002603



**E. I. DU PONT DE NEMOURS & COMPANY**  
INCORPORATED  
WILMINGTON, DELAWARE 19898

POLYMER PRODUCTS DEPARTMENT

April 6, 1981

PERSONAL AND CONFIDENTIAL

- R. E. DREXEL
- E. D. BOELTER
- I. A. LUNDGAARD
- R. L. RICHARDS, JR.
- J. C. BESPERRA
- J. T. SMITH
- W. R. DE GRAW/M. ROCCONI
- N. J. IRSCH
- P. J. MEYERS
- H. E. SERENBETZ
- J. W. RAINES
- F. N. ARONHALT
- E. D. CHAMPNEY
- J. A. BLUMBERG
- H. A. SMITH
- L. F. PERCIVAL
- D. C. SANDERS
- M. A. SMOOK - CHS-314
- \*J. H. TODD - WASH. WKS.
- \*H. F. CANFIELD - CIRCLEVILLE
- \*J. F. GLEITZ - GERMAY PARK
- \*B. W. MELVIN - CHESTNUT RUN

- J. R. GIBSON - ADMIN
- W. E. TATUM - ADMIN
- J. F. SCHMUTZ - LEGAL
- G. A. HAPKA - LEGAL
- C. D. DE MARTINO - ER
- B. W. KARRH - ER
- R. P. MC CUEN - PA
- J. L. STOWELL - PA
- B. C. MC KUSICK - CR&D
- A. L. DADE - F&F
- W. R. HENDRIX - F&F
- F. E. FRENCH - C&P
- R. L. RHODES - FIBR
- A. A. WRIGHT - FIBR
- A. C. HAVEN - INTL
- \*W. G. MIKELL - EXP. STATION
- A. B. PALMER - C&P
- C. C. GRIFFITH - PHOTO
- \*W. C. EVANS - DORDRECHT
- H. G. DRINKWATER - GENEVA
- C. D. ROBINSON - GENEVA
- J. B. SHAFER - SPRUANCE

C-8 PERFLUOROCTANOATE

Attached is the final employee communications package that is being used to implement corporate actions relative to recent findings by 3M on the teratogenic potential of ammonium perfluoro-octanoate.

It contains the communications schedule, appropriate employee communications, questions and answers, media standby-statement, a letter outlining activities of the FC-143 Communications and Coordination Committee, and letters to customers.

Please destroy all previous drafts.

R. D. INGALLS  
ENERGY & ENVIRONMENTAL AFFAIRS  
MANUFACTURING DIVISION

RDI/is  
Attachments

\*Employee Communication for individual site only.

There's a world of things we're doing something about

EID079439

000039

AJP002609



INDEX

	<u>Page No.*</u>
● Communication Schedule	1
● Employee Communications	
Washington Works	2
Circleville	4
Germa Park	6
Chestnut Run - Fluoropolymers	7
Chestnut Run - Elastomers	8
Experimental Station	9
Parlin, Brevard and Rochester - Photo Products	9A
Questions and Answers - Employees	10-15
● Media Standby Statement	16
Questions and Answers - Media	17-27
● FC-143 Communications and Coordination Committee	28
● Letters to Customers	30

\*Refers to number in upper right hand corner of page.

AJP002610

EID079440

000040

PERSONAL & CONFIDENTIAL

C-8 - EMPLOYEE COMMUNICATION

Timetable:

Washington Works

- Line Supervision through 2nd Line
- First Line Supervision
- Wage Roll

Initial  
Communication E.S.T.

3/31 09:00  
4/1 09:00  
4/1 12:00

Other Domestic Locations

- Supervision - Same as above
- Wage Roll - Same as above

Foreign Locations

- Europe
- Japan

4/2 A.M. (local)  
4/2 A.M. (local)

NJI:adw  
3/30/81

EID079441

**000041**

ALP002611

EMPLOYEE COMMUNICATION

We have been informed by the 3M Company about the preliminary results of a new animal study involving the fluorosurfactant, C-8, which is an essential material that has been used for more than 20 years in fluoropolymer resins manufacture at Washington Works. 3M is our principal supplier for this chemical.

We were advised on March 20, 1981 that C-8, also known as FC-143 or ammonium perfluorooctanoate, caused birth defects in the unborn when fed by stomach tube to female rats in a laboratory experiment. This was a preliminary study designed to determine dosage limits prior to a full-scale study on C-8's potential to cause birth defects in rats.

At this time, we do not know the significance, if any, of the preliminary animal experiment as it may relate to employee exposure. Further studies are planned to define possible reproductive effects.

As a precaution, based on the new study we have decided that until further information is obtained, all female employees will be removed from areas where there is potential for exposure to C-8 and loaned immediately to other divisions. These female employees will consult with our Plant Medical Division, and those of non childbearing capability will be given the option to return to the fluoropolymer area. Women of childbearing capability will be allowed to bid for other plant jobs after a permanent plant

EID079442

000042

AJP002612

posting has been made. Present pay rates will be maintained and vacation selections previously made will be honored for those females reassigned.

During the period that C-8 has been used at Washington Works, there has been no known evidence that our employees have been exposed to C-8 levels that pose adverse health effects. A preliminary acceptable exposure limit of 0.01 mg/m<sup>3</sup> (0.56 parts per billion) was established which we believe has adequately protected our employees. There is no evidence to suggest there is any impairment of the male reproductive function.

3M first notified us in 1978 that exposure to C-8 could result in elevated organic fluoride levels in the blood of its employees and that these elevated levels could persist for extended periods of time. At that time, we notified employees, embarked on an extensive program to reduce exposure levels, and began blood monitoring analyses. Employees have been kept advised on new developments and of blood test results.

We ask your cooperation with job reassignments and participation in a program for additional blood sampling.

We will inform you promptly as new information is obtained.

# # #

EID079443

000043

AJP002613

QUESTIONS AND ANSWERS

(To be used as needed to answer questions)

If there are any questions not answered below they should be referred to plant management.

- Q01. How many female employees at your Parkersburg\* plant may have been exposed to C-8?
- A01. About (50)\* worked in areas where there is potential for exposure.
- Q02. Have you sampled the blood of these employees to determine if they have elevated organic Fluoride levels?
- A02. Some but not all employees have been sampled as part of our existing programs.
- Q03. Do they have levels of C-8 above normal?
- A03. Yes, some do.\*
- Q04. Are any of the fifty female employees pregnant?
- A04. Yes, two that we know of.\*
- Q05. Are there any former employees you know of who may have been exposed to C-8 and who are now pregnant?
- A05. Yes, one that we know of.\*
- Q06. What have you advised these pregnant women to do?
- A06. We have advised these employees to consult the plant physician for an explanation of the potential risks and will have them consult also with their personal physician. The exact significance of the animal test results to the human offspring is yet unknown. However, we believe it prudent to eliminate any further exposure that results in blood levels greater than background until additional data are obtained.

\*Adjust for other sites.

EID079444

000044

AJP002614

- Q07. What is the background level?
- A07. In our experience with blood tests conducted among employees with little chance for potential exposure, organic fluoride blood levels ranged up to 0.4 PPM.
- Q08. Have you attempted to locate former female employees to advise them of the 3M Company's animal study which indicated that C-8 may be teratogenic?
- A08. We are in the process of reviewing our employment records and where appropriate, former employees will be notified.
- Q09. Do you have any knowledge of Du Pont employees or former employees who have been exposed to C-8 whose children suffered birth defects?
- A09. We know of no evidence of birth defects caused by C-8 at Du Pont. In light of 3M results, we will investigate further.
- Q10. Do you have any knowledge of 3M Company employees or former employees who have been exposed to C-8 whose children suffered birth defects?
- A10. No. We are not knowledgeable of the pregnancy outcome of any 3M employees or former employees who were exposed to C-8.
- Q11. What is the possibility that employees or former employees of childbearing age with elevated organic fluoride levels may give birth to children with defects?
- A11. We do not know, but we are taking appropriate steps to avoid further exposure.
- Q12. Is there any indication that male employees or former male employees exposed to C-8 may have suffered loss of reproductive function?
- A12. We have no indication that C-8 has an effect on the male reproductive system or its function. The reproductive organs of the male laboratory animals exposed to C-8 were closely examined and were normal, with no evidence of abnormalities attributable to C-8 exposure.
- Q13. Are there any tests that can assure the fetus is all right?
- A13. There are no tests which can assure that the fetus is all right. There are tests which can detect fetal abnormalities in some cases.

EID079445

000045

AJP002615

- Q14. What advice do we have for women of childbearing capability, who have been exposed, about becoming pregnant?
- A14. This is a personal subject between the woman and her physician. Any questions of a personal nature will be handled on an individual basis.
- Q15. Will elevated organic fluoride levels in the blood decrease in time?
- A15. Yes.
- Q16. How long does it take for these levels to fall to background levels?
- A16. It is not known at this time. Blood sampling is continuing.
- Q17. Can employees and former employees with elevated organic fluoride levels donate blood safely?
- A17. Blood donating is a deferrable option. Persons who have elevated blood levels of C-8 or who have worked in areas of potential exposure to C-8 and the blood level has not been determined should not donate blood until the blood level of C-8 returns to background levels.
- Q18. Have you resampled employees' blood recently? \*
- A18. Yes, and we are taking additional samples in an ongoing program.
- Q19. Were the levels lower in the recent blood samples? \*
- A19. So far there is no obvious trend with the data available.
- Q20. Is there danger to the families of employees who work in the area?
- A20. By following the established practices and procedures, use of personal protection equipment and following good personal hygiene practices, there should be no hazard to the employee's family.

\*Adjust for other sites.

EID079446

000046

AJP002616

- Q21. What operating procedures were instituted by Du Pont after the first 3M report in 1978?
- A21. We increased use of personal protective equipment, instituted blood monitoring and air sampling programs, improved housekeeping and made certain equipment modifications. Additional engineering programs are under way.
- Q22. What additional changes in operations procedures do you plan now?
- A22. This has not been determined. We are reviewing the situation.
- Q23. Are you looking for a substitute for C-8?
- A23. Yes, we have been for some time.
- Q24. What are the possible substitutes?
- A24. We have not identified one at present.
- Q25. Why did the 3M Company test C-8 for teratogenicity?
- A25. We understand that C-8 is chemically similar to other compounds made by 3M and that in earlier testing were found to be teratogenic.
- Q26. When did Du Pont learn of the latest study results?
- A26. March 20, 1981.
- Q27. Has the appropriate Federal regulatory agencies been notified?
- A27. Yes. It is our understanding that 3M, our supplier, has notified EPA of the study and its results.
- Q28. What were the birth defects noted by 3M in the unborn fetus?
- A28. Eye defects are reported but complete testing will be required.

EID079447

000047

AJP002617



- Q29. What additional animal testing is planned?
- A29. C-8 teratology evaluations of laboratory animals to confirm 3M preliminary results will be conducted to identify a safe exposure level for females.
- Q30. What is Du Pont's policy on employing women around embryo-toxins?
- A30. Women of childbearing capability are allowed to work in areas of potential exposure to teratogens where a safe exposure level is known and the exposures can be maintained below these levels. Women of childbearing capability are not allowed to work in areas where safe levels are not known or where the potential exposures are above safe levels. Women who are not of childbearing capability can work in areas of potential exposure to teratogens.
- Q31. Has Du Pont ever required or suggested that an employee be sterilized?
- A31. No.
- Q32. Are there any other chemicals used at your Parkersburg plant that are embryotoxic?
- A32. Yes. DMF (dimethyl formamide) and HFA (hexafluoroacetone).
- Q33. Is there any problem involved with cookware which has been coated with fluorocarbon resin?
- A33. No.
- Q34. Will Du Pont be notifying its customers of the most recent findings reported by 3M?
- A34. Yes.
- Q35. Does Du Pont manufacture fluorinated surfactants at its Deepwater, New Jersey plant?
- A35. Yes, but these are manufactured by different technology and are chemically different from C-8 (FC-143).

EID079448

000048

AJP002618

- Q36. Is it possible that people working with fluoropolymer dispersions may be exposed to fluorinated surfactants and develop high blood fluoride levels?
- A36. Du Pont employees working with fluoropolymer dispersion products have been tested and show normal background level of blood fluoride.
- Q37. If sintered fluorocarbon products do not contain C-8, what happens to the C-8 during sintering or other heating operations?
- A37. It is removed in processing.
- Q38. Does Du Pont monitor airborne exposure levels?
- A38. Yes..
- Q39. Have women been removed from areas with potential for exposure at all Du Pont locations?
- A39. Each site is taking appropriate action.

EID079449

000049

AJP002619